

## SAFETY DATA SHEET

### H2O MOP X5 - ALPINE SENSATIONS STEAM FRAGRANCE

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME	H2O MOP X5 - ALPINE SENSATIONS STEAM FRAGRANCE		
PRODUCT NO.	THA/00041/01		
SUPPLIER	Thane Direct UK 66 Lincoln's Inn Fields London WC2A 3LH www.thanedirect.co.uk	MANUFACTURER	Challs Unit 46 Lady Lane Industrial Estate Hadleigh Suffolk IP7 6BQ Tel: 01473 828700 Fax: 01473 828701 sales@challs.com
CONTAINER SIZE	250ml		

**2 HAZARDS IDENTIFICATION**

CLASSIFICATION (1999/45)	Not classified.		
CLASSIFICATION (EC 1272/2008)	Physical and Chemical Hazards	Not classified.	
	Human health	Not classified.	
	Environment	Not classified.	

LABEL IN ACCORDANCE WITH (EC) NO. 1272/2008  
Not classified.

**PRECAUTIONARY STATEMENTS**

P103	Read label before use.
P102	Keep out of reach of children.
P101	If medical advice is needed, have product container or label at hand.
P260b	Do not breathe fume.

**Detergent Labelling:**

<b>&lt; 5%</b>	Perfumes	
	Non-ionic surfactants	
<b>Contains</b>	6-OCTEN-1-OL,3,7-DIMETHYL,4-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-3-METHYL-3-BUTEN-2-ONE	

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

(L) ISOTRIDECYL, ETHOXYLATED	1-5%
CAS-No.: 9043-30-5	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.
3-OCTANOL, 3,7-DIMETHYL	< 1%
CAS-No.: 78-69-3	EC No.: 201-133-9

**H2O MOP X5 - ALPINE SENSATIONS STEAM FRAGRANCE**

Classification (EC 1272/2008) Skin Irrit. 2 - H315 Aquatic Chronic 2 - H411	Classification (67/548/EEC) Xi;R38. N;R51/53.
ALCOHOL ETHOXYLATE <span style="float: right;">1-5%</span>	
CAS-No.: 68131-39-5	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22. Xi;R41. N;R50.

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

**4 FIRST-AID MEASURES**

**INHALATION**

In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

**INGESTION**

Rinse mouth thoroughly. Provide rest, warmth and fresh air. **DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!**

**SKIN CONTACT**

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

**EYE CONTACT**

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**SPECIAL FIRE FIGHTING PROCEDURES**

Move container from fire area if it can be done without risk.

**UNUSUAL FIRE & EXPLOSION HAZARDS**

Aerosol cans may explode in a fire.

**6 ACCIDENTAL RELEASE MEASURES**

**SPILL CLEAN UP METHODS**

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**PROTECTIVE EQUIPMENT**



## H2O MOP X5 - ALPINE SENSATIONS STEAM FRAGRANCE

### ENGINEERING MEASURES

Provide adequate ventilation.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. **DO NOT SMOKE IN WORK AREA!**

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Colourless liquid
ODOUR	Characteristic
SOLUBILITY	Soluble in water.
RELATIVE DENSITY	0.998 @ 20C
pH-VALUE, CONC. SOLUTION	5.75 - 6.25

## 10 STABILITY AND REACTIVITY

### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures create: Hydrogen chloride (HCl). Phosgene (COCl<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

### TOXICOLOGICAL INFORMATION

No information available.

## 12 ECOLOGICAL INFORMATION

### DEGRADABILITY

There are no data on the degradability of this product.

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

## 14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
	No transport warning sign required.
ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	No.

## 15 REGULATORY INFORMATION

### UK REGULATORY REFERENCES

Petroleum (Consolidation) Act, as amended 1984 SI 1244. Highly Flammable Liquid Regulations 1972.

### ENVIRONMENTAL LISTING

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

### EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC.

## H2O MOP X5 - ALPINE SENSATIONS STEAM FRAGRANCE

### STATUTORY INSTRUMENTS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

### GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

## 16 OTHER INFORMATION

REVISION DATE 15/02/2013

REV. NO./REPL. SDS GENERATED 4

### RISK PHRASES IN FULL

- R22 Harmful if swallowed.
- R38 Irritating to skin.
- R41 Risk of serious damage to eyes.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R50 Very toxic to aquatic organisms.

### HAZARD STATEMENTS IN FULL

- H318 Causes serious eye damage.
- H315 Causes skin irritation.
- H302 Harmful if swallowed.
- H411 Toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.